

ACECLE AN

General Purpose

Cleaner

PRODUCT TECHNICAL DATA SHEET



Ref: AAIPL/TDS/056-16 Rev: 02/05-16



PRODUCT DESCRIPTION:

ADVANTAGES:

APPLICATIONS:

ACECLEAN General Purpose cleaner is a fast acting, non-acidic concentrated wall and floor cleaners that can be used for daily maintenance of floorings made with tile and stones. The special formulation of this cleaner made it neutral pH and is most suitable for cleaning dust, dirt, grease and stains from tiled surfaces and sanitary items. When dry, the surface is left hygienically clean.

- Antibacterial, fast acting
 - •Non acidic, environment friendly
 - Easy to use, low odour
 - Fragranced, provides hygienically clean surroundings

Interior and exterior applications for floor and walls, kitchens and bathrooms

SUITABLE SUBSTRATES: Ceramic, vitrified tiles, natural stones, CP fittings, sanitary wares

AVAILABLE PACK SIZE

Available in 500 ml, 1 ltr, 5 ltr and 20 ltr





SHELF LIFE:	12 months if stored in cool and dry area in unopened container. Shelf life is calculated from the month of manufacturing of the product.
STORAGE AND HANDLING:	Store in cool and dry area in unopened original container
CAUTION:	 Store in cool and dry place. High temperature or moisture will affect the product. Once bottle is opened, then finish it off without keeping for long time. Avoid eye contact or prolonged contact with skin. Wash thoroughly after handling. If eye contact occurs, flush
	 with water for 15 minutes and consult a physician. Do not breathe directly; wear PPE whenever necessary Approximately 25 to 150sft per ltr. Coverage will vary depending on surface nature, deepness of stain and application variances.
COVERAGE:	Acecrete adhesions India Private Limited warrants to the original purchaser that its product shall be free from defects in material for
WARRANTY	a period of one year from the manufacturing of the product. Our sole liability under this warranty shall be limited to the replacement of our purchased product if proved defective under normal handling as stated in the TDS. This warranty will not extend to any other product or items which were handled along with our product. This warranty or any other legal issues or claims are subject to Mangalore jurisdiction only.

DILUTION RATIO:



PRODUCT TECHNICAL DATA SHEET



- For floor surface (Marbles, granite, mosaic, glass and plywood, etc) – Use 1 capful for 5 ltr of clean water
- 2. For Kitchen and bathroomsurface Use directly

CUSTOMER SERVICE:

For any query related to product availability, cost, coverage, applicators, installation instructions, problems and trouble shooting, contact customer service executive on our 24 X 7 customer help line +91 963 260 5577 or write email to <u>customercare@acebond.in</u>

For product or other information, please write us to info@acebond.in

Visit us at <u>www.acebond.in</u>

IMPORTANT NOTE:

- It is recommended to perform small testing on actual surface to make sure the product is not harming the surface.
- Repeated acid washing may harm glossiness of the surface.
- Do not use acid based cleaner on acid sensitive stones such as polished marble, travertine, limestone, granite, sand stone or any other calcium based natural stones and metal surfaces

The information and recommendations contained herein are based upon data believed to be correct; however, no guarantee or warranty of any kind expressed or implied is made with respect to the information provided since conditions of use, method of application and surface preparation at site are beyond our control. All legal issues are subject to Mangalore jurisdiction only.

NB: Technology may change with time necessitating changes to this Technical Data Sheet (TDS). It is the responsibility of the user to ensure that the latest TDS is being used.

Acecrete Adhesions India Private Limited. 205, 2nd Floor, Inland Avenue, MG Road, Mangalore. Pin: 575 003 Email: <u>info@acebond.in</u> Tel: +91 824 221 9917 Customer care: +91 963 260 5577 Website: <u>www.acebond.in</u>

DECLARATION: