


## PRODUCT TECHNICAL DATA SHEET



**ACECLE AN** Heavy-Duty Tile Cleaner \*\*\*\*\*



## **PRODUCT DESCRIPTION:**

**ADVANTAGES:** 

**APPLICATIONS:** 

ACECLEAN Heavy Duty Tile Cleaner is a heavy duty, powerful acid based cleaner, used to remove strong haziness of cementitious grout, adhesives and other hard water deposit from tile surface. It is a highly effective water dilutable cleaner that can be diluted with water to desired proportion before cleaning of the surface.

- Concentrated, fast acting
- Can be diluted with water to desired ratio
- Easy to use, reduced odour
- Provides clean surroundings
- Effective against efflorescence and cement haze
- Interior and exteriors, floors and walls, kitchens and batch rooms, heavy trafficked areas, etc

## Ceramic, vitrified tiles and not for acid sensitive surfaces

AVAILABLE PACK SIZE:

SUITABLE SUBSTRATES:

Available in 500 ml, 1 ltr, 5 ltr and 20 ltr





SHELF LIFE:	12 months if stored in cool and dry area in unopened container. Shelf life is calculated from the month of manufacturing of the product.
STORAGE AND HANDLING:	Store in cool and dry area in unopened original container
CAUTION:	<ul> <li>Store in cool and dry place.</li> <li>High temperature or moisture will affect the product.</li> <li>Once bottle is opened, then finish it off without keeping for long time.</li> <li>This product contains acid based cleaning agent and other chemical additives. Avoid eye contact or prolonged contact with skin.</li> <li>Wash thoroughly after handling. If eye contact occurs, flush with water for 15 minutes and consult a physician.</li> <li>Do not breathe directly; wear PPE whenever necessary</li> </ul>
COVERAGE:	Approximately 25 to 150sft per ltr. Coverage will vary depending on surface nature, deepness of stain and application variances.
WARRANTY	Acecrete adhesions India Private Limited warrants to the original purchaser that its product shall be free from defects in material for a period of one year from the manufacturing of the product. Our sole liability under this warranty shall be limited to the replacement of our purchased product if proved defective under normal handling as stated in the TDS. This warranty will not extend to any other product or items which were handled along with our product. This warranty or any other legal issues or claims are subject to Mangalore jurisdiction only.





DILUTION RATIO:	<ol> <li>For heavy stain (Like cement hazes, debris, rusting, hard water deposits, etc – Use up to 5 times dilution with water (Upto 1:5 with water)</li> <li>For mild stains – Up to 10 times dilution with water (1:10 with water)</li> </ol>
CUSTOMER SERVICE:	For any query related to product availability, cost, coverage, applicators, installation instructions, problems and trouble shooting, contact customer service executive on our 24 X 7 customer help line +91 963 260 5577 or write email to <u>customercare@acebond.in</u> For product or other information, please write us to <u>info@acebond.in</u> Visit us at <u>www.acebond.in</u>
IMPORTANT NOTE:	<ul> <li>It is recommended to perform small testing on actual surface to make sure the product is not harming the surface.</li> <li>Repeated acid washing may harm glossiness of the surface.</li> <li>Do not use ACECLEAN Heavy Duty Tile Cleaner on acid sensitive stones such as polished marble, travertine, limestone, granite, sand stone or any other calcium based natural stones and metal surfaces</li> </ul>
DECLARATION:	The information and recommendations contained herein are based upon data believed to be correct; however, no guarantee or warranty of any kind expressed or implied is made with respect to the information provided since conditions of use, method of application and surface

NB: Technology may change with time necessitating changes to this Technical Data Sheet (TDS). It is the responsibility of the user to ensure that the latest TDS is being used.

preparation at site are beyond our control. All legal issues are subject to Mangalore jurisdiction

only.