





Vision

We aspire to be a world class organization with advanced products and processes and unmatched performance and quality. we are committed to delight our stake holders with unlimited solutions at our single hub - 'ACECRETE'

Mission

To innovate continuously and provide unique solutions in construction technology



Infinite Possibilities

With well equipped manufacturing plant, dedicated staff and state of the art R & D facility, we have added three more feathers to our cap by launching three innovative products called **ACESTAR** Tile Gum Paste - a ready-to-use, paste from tile adhesive, **ACESTAR** Dust-free adhesive for interior renovation purpose and **AQUAFIX** Epoxy adhesive for under water tile fixing. All are unique and first of its kind in India and have the DIY quality i.e 'Do-it-Yourself'. It is as easy as sticking paper with gum



Green Concept

As a proud member of Indian Green Building Council, our commitment to the environment remains a top priority and we are all about creating sustainable futures for everyone. We dedicate our best efforts, right now, to protect and preserve Mother Nature for the benefit of our future generations. With ever-increasing environmental awareness, we are proud to take on the responsibility of producing eco-friendly products. We stay committed to the protection of the environment in every step we take – from product development and manufacturing to work procedures and also in cutting down pollution, reducing energy consumption and minimizing waste disposal. We are proud to say that our products are formulated and crafted with careful attention to make our products eco-friendly by having zero VOC. Our any of the products does not contain added lead and mercury

Our commitments

We give environment benefit products to the customer as a proud member of IGBC

Through the development of innovative technology, ACEBOND benefits both its customers and society as a whole

We are committed to provide society with advanced products that increase the quality of life while protecting the global environment.

By ensuring that the waste is minimized in every stage of the process and by reducing non conservative natural resources, we give low cost, user free, pollution free products to our customers to save the environment.

By using renewable and recyclable materials, we produce environment friendly products to minimize the pollution.

FLOORING AND WALL SYSTEM

SCREED

ACESCREED Concentrated



PACK SIZE : 30 kg (Grey)

ACESCREED Concentrated is a cementitious screeding material prepared by using high performance ingredients, premium cement and treated fillers. It is a self-curing screed designed for use with required proportion of water and aggregates at site. It is also designed for mix with a small proportion of ACEMIX TBL for increased performance.

Feature and Benefits:

- Single component, very high mechanical property
- Easy mix with water or latex, easy spreadability
- Can be mixed with locally available sand
- Self-cure, no need for water curing

- **Uses:** Interior and exterior floorings

Mixing Ratio: Up to 1:12 ratio with aggregates

COVERAGE CHART (As a reference, actual may vary depends on site condition)				
THICKNESS	ACESCREED (1:6 RATIO WITH SAND)	ACEMIX TBL	WATER	APPROX COVERAGE
12 mm	30 kg Acescreed + 180 kg Sand	2 ltr	Required amount to get applicable consistency	84 ± 4 sft
25 mm	30 kg Acescreed + 180 kg Sand	2 ltr		45 ± 3 sft

COVERAGE CHART (As a reference, actual may vary depends on site condition)				
THICKNESS	ACESCREED (1:6 RATIO WITH SAND)	ACEMIX TBL	WATER	APPROX COVERAGE
35 mm	30 kg Acescreed + 180 kg Sand	1 ltr		27 ± 2 sft
50 mm	30 kg Acescreed + 180 kg Sand	1 ltr		20 ± 2 sft

THICKBED MORTAR

ACEFIX TBA



PACK SIZE : 30 kg (Grey)



ACEMIX TBL



PACK SIZE : 5ltr

ACEFIX TBA

Premium grade thick bed mortar designed for mix with water and Acemix TBL at site. It is prepared with high quality chemical ingredients, treated aggregates and speciality polymers.

Features and Benefits

- Premium grade, strong bonding
 - Good workability, easy mix with liquid
 - High performance, low shrinking
 - High compressive, flexural and tensile strength
- Uses: Interior and exterior application for residential and commercial areas.

ACEMIX TBL

Concentrated latex admixture diluted with water on site and then mixed with ACESCREED or ACEPLAST to make cement screed, cement plasters and thick mortar beds to get very high mechanical property and improved physical characteristics of the bed.

Features and Benefits :

- Used for interior and exterior application such as screeds, renders and underwater applications
- High compressive strength and thermal shock resistance.
- High adhesion and lower water absorption
- Can use for repairing & patching of concrete floor and walls

COVERAGE : Approximately 8sft / 30kg bag for 25mm thickness

BLOCK FIXING MORTAR

ACEBLOCK Premium



PACK SIZE : 30 kg (Grey)

A high quality block fixing mortar designed to provide superior chemical anchoring between porous bricks. It is a specially formulated cementitious ready-mix adhesive to be mixed with water at site and used as thin bed adhesive for bonding light weight and aerated building blocks. It can also be used to fix the tiles on wall made with similar blocks.

Features and Benefits :

- Single component, just mix with water at site before use
- Smooth and creamy consistency
- High flexibility and bond strength to withstand shock and impact force

- Dual purpose, can be used to construct the brick walls as well as fix tiles on those brick walls

Uses: For all kind of bricks such as cement bricks, fly ash bricks, hollow blocks, aerated light weight blocks, etc.

COVERAGE : Approximately 80 sft / 30kg bag for standard size block

WALL PLASTER

Aceplast is a drymix cement plaster manufactured with carefully selected premium grade cement, optimally graded silica sand and suitable polymers and additives, all are pre-blended in strictly controlled and optimal conditions at our most modern plant. Once applied, Aceplast becomes ideal substrates for paint, wall putty or other decorative plasters. ACEBOND offers 3 variety of plasters listed below.



ACEPLAST Premium

PACK SIZE : 30 kg (Grey)
COVERAGE : Approximately 15 sft /
30kg bag for 12mm thickness

Features and Benefits:

- Premium grade, Self curing
- Premixed plaster, just mix with water at site
- Excellent quality, Easy to mix
- Suitable for both interior and exterior application (3-5 curing required for external application)
- Excellent handling characteristics, very good consistency



ACEPLAST Roof plaster

PACK SIZE : 30 kg (Grey)
COVERAGE : Approximately 80 sft /
30kg bag for 3mm thickness

Features and Benefits :

- Special grade, excellent bonding
- Used as coarse putty for thin plastering of ceiling, beam and pillar
- Excellent quality, Easy to mix
- Suitable for both interior and exterior application
- Excellent handling characteristics, very good consistency



ACEPLAST Traditional

PACK SIZE : 30 kg (Grey)
COVERAGE : Approximately 15 sft /
30kg bag for 12mm thickness

Features and Benefits:

- Economy grade, cost effective
- Similar to conventional cement - sand mix
- Superior quality cement and sand, Easy to mix
- Suitable for both interior and exterior application
- Excellent handling characteristics, good consistency

Note : Proper water curing is required

WATERPROOFING

Acebond manufactures wide variety of waterproofing from economic grade to international grades. All products are carefully manufactured in state of the art facility and thoroughly tested in full fledged QC laboratory before sending to customers and thus quality of the products are guaranteed. ACEBOND offers below its ranges..

 <p>ACEPROOF <i>Rainshield</i></p> <p>PACK SIZE : 1ltr, 5ltr and 20ltr</p>	 <p>ACEPROOF <i>Ener-G guard</i></p> <p>PACK SIZE : 5ltr and 20ltr</p>	 <p>ACEPROOF <i>Brush N' Bond</i></p> <p>PACK SIZE : 5kg, 11.5kg and 46kg</p>	 <p>ACEPROOF <i>Excel</i></p> <p>PACK SIZE : 1ltr, 5ltr and 20ltr</p>
--	--	--	---

 <p>ACEPROOF <i>Marvel</i></p> <p>PACK SIZE : 1ltr, 5ltr and 20ltr</p>	 <p>ACEPROOF NSG <i>Non Shrinkage grout</i></p> <p>PACK SIZE : 5kg and 20kg</p>	 <p>ACEPROOF FSG <i>Fast setting grout</i></p> <p>PACK SIZE : 500gm</p>
--	---	---

Product	Description	Mixing ratio	Features and benefits	Application area	Coverage	Available pack size
ACEPROOF Rainshield	Superior quality latex admixture designed for mix with portland cement at site before application. The slurry made with Aceproof Rainshield and cement works as an excellent waterproofing additive as well as very good bonding agent.	1:1 w/w with portland cement	<ul style="list-style-type: none"> • Very good waterproofing property • Excellent bonding property • No degradation on long term exposure • Suitable for internal and external application 	Waterproofing of walls, slope roofs, etc	50-55 sft/ 1 ltr slurry for two coats	5 ltr & 20 ltr
ACEPROOF Ener-G guard	High performance acrylic elastomeric reflective coating has excellent elongation and can maintain a watertight seal while the roof expands and contracts for certain extent.	Ready to use	<ul style="list-style-type: none"> • Reflective roof coating helps reduce cooling costs, prevents UV-degradation and premature roof failure. • Provides a seamless, elastic and durable membrane. • Contains fungicides and mildewcides. • Easy to use, non-toxic and VOC-compliant water based roof coating 	<ul style="list-style-type: none"> • RCC Structure • Sloping roofs • Cooling towers • Masonry walls • Restoration of building 	50-55 sft/ltr for two coats	5 ltr & 20 ltr
ACEPROOF Brush N' Bond	Superior quality, high performance latex based waterproofing admixture designed to be mixed with factory prepared polymer blended filler powder to form a high quality latex modified, brush applicable slurry mortar which works as an excellent water proofing agent	2 Component. Mix Part A and Part B equally by volume	<ul style="list-style-type: none"> • Solvent free, Safe • Interior & exterior use for vertical and horizontal surfaces • Excellent shear bond strength • Install tile, brick and stone directly onto the surface. • Improves shock, chemical and water resistance 	Sunken, Kitchens, laundries, food processing areas, etc	17-20 sft/ 1ltr mix(2.3kg) for two coats	5kg, 11.5kg and 46kg
ACEPROOF Excel	An excellent quality rubber based liquid waterproof membrane used as waterproofing underlayment for installation of tile and stones. It is ready-to-use, self-curing waterproofing membrane that forms flexible film and have good adhesion property to many surfaces.	Ready to use	<ul style="list-style-type: none"> • Single component, ready to use, fabric-free • Easy to use, applies quickly with a roller or brush • Safe and low odour • Resists fungi and algae growth • Adhesion to most substrates 	Kitchens, bathrooms, laundries, food processing areas, etc Underwater applications	15-17 sft/ 1ltr for two coats of 1.5mm thickness	1ltr, 5ltr and 20 ltr
ACEPROOF Marvel	An excellent quality, tough and carefully premixed liquid waterproof membrane. It is hydrostatic pressure resistance membrane that forms very strong yet flexible film which provides good adhesion to many surfaces and accommodates normal building movements without rupture.	Ready to use	<ul style="list-style-type: none"> • Single component, ready to use • Rapid drying time, applies quickly with a roller or brush • Water based, safe to use, low odour • Resists fungi and algae growth • Adhesion to most substrates 	Underwater applications - Swimming pools, fountains, water tank, fish tank, etc Kitchens, bathrooms, laundries, food processing areas, etc	15-17 sft/ 1ltr for two coats of 1 . 5 m m thickness	1ltr, 5ltr and 20 ltr
ACEPROOF NSG Non shrinkage grout	Aceproof NSG is non-shrink grout which is manufactured with carefully selected raw materials in a state-of-the art manufacturing facility. It is cementitious, non-shrink, free flow, high strength grout used in waterproofing work	Use 850-900 gm of water per 5kg powder	<ul style="list-style-type: none"> • Impart non-shrink property • facilitates good, flowable cement grout • Helps to reduce permeability • Early achievement of higher strength • Chloride free, increases durability • Minimizes segregation 	<ul style="list-style-type: none"> . For filling cracks, honeycombs, etc . Nonshrink filling, Duct grouting . For jointing structural elements by injecting and pressure grouting . Gravity grouting 	Coverage varies depends on type of works	5kg and 20kg
ACEPROOF FSG Fast setting grout	Aceproof FSG is a multipurpose cementitious non-shrink rapid setting mortar, manufactured with highest care at state of the art facility to ensure excellent performance	250gms per 50kg of cement	<ul style="list-style-type: none"> • Rapid setting cement based product • Stops leakage quickly • Stops running water, reduces damage • Non-shrink as it expands on curing • Good adhesion to the substrates 	Repair in running water where quick setting is require . Anchoring of bolts. . Fixing nozzle for pressure grouting purpose . Joint filling, patching, pointing and waterproofing of concrete and masonry.	Coverage varies depends on type of works	500gm

THIN SET ADHESIVE

ACEFIX

★★★ 3 STAR



PACK SIZE : 5kg, 20kg and 30kg (Grey)

Economy grade thinset adhesive for installation of ceramic tile on various substrates. Its unique blend of cement, silica, polymers and additives gives excellent bonding between tile and substrates for most demanding installation requirements. It can also be mixed with Acemix 2C Latex admix for enhanced performance like flexibility and additional workability. While mixing, replaced water with Aceproof IWP will improve water resistance property of the system.

Features and Benefits:

- Economy grade, cost efficient
- High Performance, low shrinking

- Superior quality, Easy to fix

Uses: Interior application for wall and floor

Coverage: 2.5-3sft / 1kg for 3mm thickness

ACEFIX

★★★★ 5 STAR



PACK SIZE : 20kg and 30kg (Grey)
Coverage: 2.5-3sft / 1kg for 3mm thickness

Premium grade thinset adhesive designed for installation of small to medium format tile on various substrates. It offers high bond strength and excellent handling property for a wide variety of floor and wall tile application. It can also be mixed with Acemix 2C Latex admix for enhanced performance like flexibility, additional workability and better bonding strength. While mixing, replaced water with Aceproof IWP will improve water resistance property of the system.

Features and Benefits:

- Premium grade, strong bonding
- Superior quality, Easy to fix
- Suitable for both floor and wall
- Good workability, additional adjustment time

- High performance, low shrinking

Uses:

- Interior application for floor and wall.
- Can fortify with Acemix 2C Latex admix for exterior application and improved performance.

ACEFIX

★★★★★ 7 STAR



PACK SIZE : 20kg (Grey and White)
Coverage: 2.5-3sft / 1kg for 3mm thickness

A superior quality polymer modified thinset adhesive with non-slump formula that eliminates slippage and gives excellent mechanical property. It is designed for fixing large format tiles and natural stones for most demanding floor and wall application. It can also be fortified with Acemix Superflex Admix for high flexibility and bonding tile or stones on special grade plywood.

Features and Benefits:

- Superior grade, excellent bonding
- Excellent quality, Easy to fix
- Suitable for both floor and wall
- Suitable for interior and exterior dado application
- Additional working time, improved water resistance property

- Easy mixing with liquid, nice consistency
- Very good mechanical property

Uses:

- Interior and exterior application for floor and wall.
- Can fortify with Acemix Superflex Admix for improved performance and high flexibility.

ACEMIX
Superflex Admix



PACK SIZE : 5ltr and 20ltr (Milky white)

Highly flexible latex admixture for use with thin set adhesives to get very high flexibility along with strong bond strength for Installation of tile or stones on most dry wall applications. It is recommended to use ACEMIX SUPERFLEX admix with ACEFIX 7 Star for installation of tile/stone on selected grade plywood.

Features and Benefits:

- Non hazardous, safe to use admixture.
- High strength, shock and impact resistant
- Strong, super flexible, very good adhesion to many substrates

Uses:

- Used in place of water with thin set adhesive for installation of tiles or stones on most difficult surfaces.
- For Installation of ceramic tile, brick, natural stone, porcelain tile on Plywood and variety of other substrates.

ACEFIX

★★★★★ 9 STAR



PACK SIZE : 20kg (Grey and white)
Coverage: 2.5-3sft / 1kg for 3mm thickness

It is an excellent quality highly polymer modified thinset adhesive with exceptional flexibility and high bond strength for tiling difficult surfaces such as glass tiles, porcelain, large format natural stones, dry substrates like calcium silicate, gypsum, particle board, etc. With its unique blend of polymers, additives, fine aggregates and premium white or grey cement offers the ultimate in bond strength for the most demanding installation requirements for large format tile or stones to most difficult-to-bond substrates.

Features and Benefits :

- Special grade, excellent bonding
- Excellent quality, Easy to fix
- Suitable for both floor and wall, interior and exterior application
- Excellent handling characteristics through extended open and adjustment time
- Ideal for glass mosaic and all type of large format tile and stones

- Outstanding flexibility with high strength for most difficult substrates and tile applications
- Easy mixing with liquid, nice consistency
- Very good mechanical property

Uses:

- Interior and exterior applications for floor and wall
- For glass tile, large format porcelain, ceramic and all type of natural stones.
- For facades, tile on tile and submerged application

ACEFIX 2 in 1



PACK SIZE : 30kg (Grey)
Coverage: Approx 23sft / 30kg for 10mm thickness

An excellent, superior quality, water resistance plaster cum tile and stone setting adhesive with additional working time, exceptional flexibility and high bond strength. It eliminates prior plastering to the undulated wall or floor surface of up to 15 mm undulation and increases installation speed. It is a smooth, flexible adhesive that provides excellent wet-out on the back of the floor tiles and eliminate the voids.

Features and Benefits:

- Interior and exterior application, Suitable for floor and wall
- Tiles can directly be bed-in, without prior plastering hence increases the installation speed
- With its excellent wet-out property on back of the tile, it eliminates voids and hollow sound

- Excellent handling characteristics through extended open and adjustment time
- Ideal for all type of surfaces
- Easy mixing with liquid, nice consistency
- Very good mechanical property

Uses :

- Interior and exterior applications for floor and wall

THIN SET ADHESIVE

ACEFLEX *Ultra*



PACK SIZE : 20kg (Grey and White)
Coverage: 2.5-3sft / 1kg for 3mm thickness

A brilliant, single component, water resistance thin-bed wall and floor tile adhesive that remains flexible after curing. It is designed particularly for substrates which are subject to some movement like expansion, contraction or vibration. It does not have any height limits for tile installation.

Features and Benefits :

- Excellent quality, Easy to fix, tile does not slip
- Suitable for both floor and wall, interior and exterior and submerged application
- Excellent handling characteristics through extended open and adjustment time
- Ideal for all type of tile and stones, suitable for tile on tile, tile on glass or vice-versa
- Outstanding flexibility with high strength for most difficult-to-bond substrates

- Easy mixing with liquid, nice consistency
- Very good mechanical property

Uses:

- Interior and exterior applications for floor and wall
- For glass tile, veneer, metal, ceramic and all type of natural stones.
- For facades, sky height buildings, tile over most difficult-to-bond substrates and submerged application

ACEFLEX *2C*



PACK SIZE : 20kg (Grey and White)

ACEMIX *2C* *Latex Admix*



PACK SIZE : 5ltr and 20ltr (Milky White)

A two component, high quality, water resistance tile and stone setting adhesive with extended open time, exceptional flexibility, no vertical slip and high bond strength. It is designed for mix with Acemix 2C latex admix at site to form a smooth and creamy setting mortar for large format tile and stone that can be fixed on floor, wall and external facades. The setting adhesives made with ACEMIX 2C Latex admix provides increased flexibility for exterior high end application, very high bond strength and long workability. With its unique blend of latex, additives and selected ingredients offers the ultimate in bond strength and flexibility for the most demanding installation requirements for large format tile or stones to most difficult-to-bond substrates.

Features and Benefits:

- Excellent quality, Easy to fix, does not slip
- Suitable for both floor and wall, interior and exterior and submerged application
- Excellent handling characteristics through extended open and adjustment time

- Ideal for all type of tile and stones
- Outstanding flexibility with high strength for most difficult-to-bond substrates
- Easy mixing with liquid, nice consistency
- Very good mechanical property

Uses:

- Interior and exterior applications for floor and wall

- For facades, sky height buildings, tile over most difficult-to-bond substrates and submerged

Coverage: 2.5 - 3sft / 1kg for 3mm thickness

ACESTAR *Dust - free Tile Adhesive*



PACK SIZE : 20kg (Grey and White)
Coverage: 2.5-3sft / 1kg for 3mm thickness

Acestar - Dustfree Tile Adhesive has been specifically formulated with carefully selected superior quality ingredients for improved air quality, healthier working conditions, less mess and faster cleanup. It is a thin bed cement based adhesive, specifically formulated to bond a variety of tiles onto rigid substrates. It is easy-to-use products and fits under Do-It-Yourself concept.

Features and Benefits:

- Single component, just add water at site. No any additives required
- Less harmful to health and environment friendly
- Keeps building site clean
- No effect on A/C and adjoining building parts when

refurbishing

- Decreasing time/costs for cleaning

Uses :

- Can be used on both walls and floors and interior and exterior applications
- It is recommended for fixing any kind of tiles or stones

ACESTAR *Tile Gum Paste*



PACK SIZE : 5kg, 10kg and 20kg (White)
Coverage: Approx 5sft / 1kg for 3mm thickness

A brilliant, DIY technology, ready to use, premixed paste form, flexible, water resistance thin-bed wall and floor tile gum that remains flexible after curing. It is designed particularly for most internal thin bed wall and floor application over concrete, cement render, fibrous cement sheeting, plaster board, porous substrates, rendered brick work, plywood, etc.

Features and Benefits

- Ready-to-use, just open and use. No need to mix anything
- Excellent quality, Easy to fix, tile does not slip
- Suitable for both floor and wall application
- Excellent handling characteristics through extended open and adjustment time
- Ideal for all type of tile and stones, suitable for tile on tile, tile on glass or vice-versa

- Outstanding flexibility with high strength for most difficult-to-bond substrates
- Very good mechanical property

Uses:

- Interior application for floor and wall
- For glass tile, veneer, metal, ceramic and all type of natural stones.
- For, tile over most difficult-to-bond substrates

ACEFIX *Self Leveling Adhesive*



PACK SIZE : 20kg and 30kg (Grey and White)
Coverage: Approx 100sft / 30kg for 1.5mm thickness

A pourable, high quality, water resistance tile and stone setting adhesive with additional working time, exceptional flexibility and high bond strength. It is prepared with a unique blend of carefully selected superior grade ingredients, premium cement and treated aggregates. It eliminates back buttering to the large format tiles and increases installation speed. It is a smooth, flexible adhesive that provides excellent wet-out on the back of the floor tiles and eliminate the voids.

Features and Benefits:

- Excellent quality, Easy to fix
- Interior and exterior application, Suitable only for floor
- Large format tiles can directly be bed-in, without back buttering hence increases the installation speed
- With its excellent wet-out property on back of the tile, it

eliminates voids and hollow sound

- Excellent handling characteristics through extended open and adjustment time
- Easy mixing with liquid, nice consistency

Uses:

- Interior and exterior applications for floor

EPOXY ADHESIVE

ACEFIX Turbo



PACK SIZE : 5kg and 30kg (Grey)

General purpose epoxy adhesive used for bonding any kind of tiles over structurally sound metal or steel substrates. It is a high strength, solvent free, 100% epoxy adhesive that gives excellent bonding strength, acid and chemical resistance to the system. It is highly suitable for residential or commercial application where area is exposed to high traffic impact.

Features and Benefits:

- Excellent quality, low odour
- Solvent-free, non flammable
- Water cleanable, easy to use
- High chemical and acid resistance
- Ideal for installation of non porous tiles on non

porous substrates. Ex: Bonding of resin coated tiles, agglomerates, etc on metal or steel surface

Uses:

- Interior and exterior applications for floor and wall

Coverage: Apporx 20sft / 5kg for 2mm thickness

ACETITE

A two component, fully solid epoxy gum consists of Part A and Part B in a pre-weighed separate bottles. It is hygienic, stain-free, chemical and acid resistance bonding agent which resist heat up to 100° C after curing. It does not allow bacterial and fungal growth. Once it cures, it gets high abrasion and impact resistance. It has very good adhesion on granite, marbles, plastics, plaster and all kind of metals like brass, steel, etc.



ACETITE Rapid

Sets rapidly within 10 minutes

PACK SIZE : 500gm, 1kg and 2kg

Features and Benefits:

- For interior and exterior application
- Used for strong bonding between two surface
- Excellent adhesions to many different materials
- Excellent sag resistance, High stain resistant
- Outstanding electrical insulating properties
- High abrasion and temperature resistance
- High chemical and acid resistance
- High shock and impact resistance
- Germ, bacterial and fungal resistance
- Easy maintenance and water cleanable

Uses :

For installation and repair work of kitchen slabs, sink, granite, marbles, plastics, plaster and all kind of metals like brass, steel, etc



ACETITE Regular

Sets within 1 hour standard time

PACK SIZE : 500gm, 1kg and 2kg

AQUAFIX

Epoxy Adhesive



Resin



Hardener

PACK SIZE : 1kg

Aquafix Epoxy adhesive is a two component, fully solid, high strength epoxy chemical anchor gum consists of Part A and Part B in a pre-weighed separate bottles. It is hygienic, stain-free, chemical and acid resistance bonding agent which resist heat up to 100° C after curing. It is ideal for refixing de-bonded tile or stones under water. It can also be used for spot fixing or bonding marbles or granites on wall and ceiling with proper arrangements. Once it cures, it gets high abrasion and impact resistant and has very good adhesion on granite, marbles, treated plastics, plaster and all kind of metals like brass, steel, etc.

Features and Benefits:

- For interior and exterior application
- Used for rapid bonding between two surfaces
- Sets rapidly within 10 minutes
- Excellent adhesions to many different materials
- Excellent sag resistance, High stain resistant
- Outstanding electrical insulating properties
- High abrasion and temperature resistance
- High chemical and acid resistance

- High shock and impact resistance
- Germ, bacterial and fungal resistance
- Easy maintenance and water cleanable

Uses :

Interior, exterior and underwater application for fixing tiles or stones on all kind of substrates. For installation and repair work of kitchen slabs, sink, granite, marbles, plastics, plaster and all kind of metals like brass, steel, etc

VINEERFIX

Epoxy gel



Resin



Hardener

PACK SIZE : 1kg and 2kg

Vineerfix Epoxy gel is a versatile, two component, high strength epoxy gel specially designed for fixing stone veneers, resin agglomerates, FRP, plastics, plywood and laminates on any kind of substrates. It consists of Part A and Part B in a creamy gel form packed in attractive pails which meets and exceeds international requirements. It can be mixed with Acefix Turbo- Part C for thick application (For more than 3mm bed thickness)

Feature and Benefits:

- For interior and exterior application
- Ideal for fixing stone veneers and small format thin tiles
- Very high bond strength
- Excellent adhesions to many different materials
- Excellent sag resistance, High stain resistant
- Outstanding electrical insulating properties
- High abrasion and temperature resistance
- High chemical and acid resistance

- High shock and impact resistance
- Germ, bacterial and fungal resistance

Uses:

- Interior and exterior, wall, floor and ceiling, residential and commercial, new or renovation buildings. Suitable for bonding stone veneers, resin agglomerates, small format and thin tiles of metal, glass or plastics, FRP, plastic sheets and laminates, etc.

GROUTS

CEMENTITIOUS GROUT

ACEGROUT is a high quality, water resistance, highly polymer modified, fine or coarse searies cementitious grout designed for grouting ceramic, semi and fully vitrified glazed tiles and natural stones. For improved performance, it is recommended to use with Acemix Grout admix.

ACEGROUT Superfine series

For joints from 1 mm to 3 mm

PACK SIZE : 500gm, 1kg and 20kg

Feature and Benefits:

- Easy to use and maintenance
- Water and weather resistance
- Non-shrinking & non cracking



ACEGROUT Corase Series

For joints from 3 mm to 12 mm

PACK SIZE : 1kg and 20kg

- Self curing
- High flexibility when used with Acemix Grout Admix.

Uses:

- Suitable for grouting all types of tiles and stones.

AQUAPROOF is a high quality, highly polymer modified cementitious grout with hydrophobic property that allows tile joints to resists water. It is designed for grouting ceramic, semi and fully vitrified glazed tiles and natural stones. It is recommended to use with Acemix Grout admix for improved performance like dense, hard and durable, colour fast and to increase hydrophobisity. Acegrout aquaproof series is available in all range of attractive and many customised colours.

AQUAPROOF Superfine series

Suitable for joint width of 1mm to 3 mm

PACK SIZE : 1kg and 20kg



AQUAPROOF Corase Series

Suitable for joint width of 3mm to 12 mm

PACK SIZE : 1kg and 20kg

Feature and Benefits:

- Hydrophobic grout that allows tile joint to resist water
- Improved stain resistance
- High efflorescence resistance

- Easy to use and maintenance
- Suitable for Interior and exterior application
- Non-shrinking & non cracking, self curing
- High flexibility when used with Acemix Grout Admix.

ACEMIX Grout Admix



PACK SIZE : 200ml, 400ml, 5ltr and 20ltr

ACEMIX Grout admix is a high quality, milky white, latex based additive designed for use with ACEGROUT Superfine cementitious grout. ACEMIX Grout Admix is used in place of water to provide flexibility to the system after curing.

Feature and Benefits:

- Improves flexibility, resists powdering and cracking
- Gives hydrophobic property to the grout.
- Prevents damage to grouts from weathering and thermal shock.

- Reduces staining and water absorption

Uses:

- Interior and exterior use for superfine and coarse grout
- For all kind of tiles and natural stones

EPOXY GROUT

A three component, fully solid epoxy grout consists of Part A and Part B in a pail and Part C in a separate pouch. It is hygienic, impervious, stainfree, chemical and acid resistance grout which resist heat up to 100° C. It does not absorb water, thus resist bacterial and fungal growth. It is a high abrasion and impact resistant grout for ceramic tile, vitrified tile and natural stone.

ACEPOXY Epoxy grout Interior grade



For Internal application

PACK SIZE : 1kg, 5kg and 30kg

ACEPOXY Epoxy grout Exterior grade



For External application

PACK SIZE : 1kg and 5kg

ACEPOXY Epoxy grout Industrial grade



For Industrial application

PACK SIZE : 1kg and 5kg

ACEPOXY Sparkling series



For designer and aesthetic feel

PACK SIZE : 1kg and 5kg

Feature and Benefits:

- Provides smooth, flush and uniform joints
- Excellent sag resistance, high stain resistant
- High shock, impact, abrasion and temperature resistance
- High chemical and acid resistance
- Germ, bacterial and fungal resistance
- Easy maintenance and water cleanable

Uses:

For interior, exterior, designer and industrial application. It is best suited for bath room, kitchen, swimming fool, fountain, dining room, child room, study and drawing room, hospitals, operation theatres, restaurants, cafeterias, oil field, refinery and petrochemical laboratory, industrial applications, high traffic areas as well as waterproofing applications.

Pack size: Available in 1 kg and 5 kg kit.

(Each kits consist of carefully blended superior quality Hardeners, Resins, Filler powder, gloves and scrub pad)

COATING

ANTIRUST COATING

ACECOAT Antirust Coating



Resin Hardener
PACK SIZE : 500gm, 1kg and 20kg

Acecoat Antirust coating is a two component polyamide cured epoxy coating for steel and non-ferrous metals that can be used in immersion and atmospheric exposures. It is an anti corrosive coating specially designed for structural steels, metal tanks and plants. It has good adhesion to steel and galvanized steel with good flow and wetting properties. It has very good resistance to abrasion and chemicals. It is also suitable for touching up of welded parts and damage to epoxy coatings during construction.

Features and Benefits:

- Excellent anti-corrosive property
- Very good flow and wetting property
- Very good resistance to abrasion and various chemicals
- Good adhesion property

- Very good mechanical property

Uses:

Anti-corrosive coating for structural steel, petrochemical plants, tanks, equipments and other applications. It can be over-coated with polyurethane coatings

EP Cote



Resin Hardener

PACK SIZE : 1kg, 10kg and 20kg

A two component, fully solid, epoxy coating consists of Part A and Part B in a pre-weighed separate pail. It is hygienic, impervious, stain-free, chemical and acid resistance coating which resist heat up to 100° C. It does not allow bacterial and fungal growth for a long period with clean water. It is a high abrasion and impact resistant coat and has very good adhesion to concrete surface, plaster and all kind of metal.

Features and Benefits:

- For interior and exterior application
- Provides smooth and hygienic surfaces
- Excellent sag resistance
- High stain resistant
- High abrasion and temperature resistance
- High chemical and acid resistance
- High shock and impact resistance
- Germ, bacterial and fungal resistance
- Easy maintenance and water cleanable

Uses:

It is best suited for water or chemical storage tank made with concrete or metal, food processing area, laboratory and bath room, kitchen, swimming pool, fountain, hospitals, operation theatres, restaurants, cafeterias, oil field, refinery and petrochemical laboratory, industrial applications, high traffic areas as well as waterproofing applications

PRIMER CUM BONDING AGENT

ACECOAT Latex Bonding Agent



PACK SIZE : 1ltr, 5ltr and 20ltr (Milky white)

Superior quality latex admixture designed for mix with 2 parts of Portland cement and 1 part of fine silica sand at site before application. The slurry made with Acecoat Bonding agent, Portland cement and fine sand works as an excellent bonding agent to old and new concrete and improves water resistance property of the system as well as reduces water penetration and shrinkage.

Features and Benefits:

- Good adhesions to concrete surfaces
- Improves mechanical property
- Excellent bonding property
- Reduces water penetration and shrinkage

- Suitable for internal and external application

Uses:

- Bonding agent as old to new concrete
- Additive for repair mortar

ACECOAT Epoxy Bonding Agent



Resin Hardener
PACK SIZE : 1kg and 10kg

Excellent two component epoxy based bonding agent used for bonding new concrete to old concrete, steel and structural membrane. It is prepared with superior quality raw materials and ingredients for excellent performance. It is low odoured, fast curing, easy-to-use bonding agent and an ideal product for extensions and repair of structural concrete.

Features and Benefits:

- Solvent free, 100% epoxy
- Very high bonding and mechanical property

Uses:

- Bonding new to old concrete
- Used for expansions and repair of structural concrete
- Bonding agent for steel and structural membrane



ACEMIX IWP Integral Waterproofing / Water reducing Admixture

PACK SIZE : 200ml, 1ltr, 5ltr and 20ltr

Aceproof IWP is high performance super plasticizing and water reducing admixture prepared with blending of selected superior grade ingredients under supervision from experts. It is recommended to add 200ml-500ml dosage per 50kg cement.

Features and Benefits:

- Increased durability and lowered permeability
- Suitable for self-compacting concrete. Concrete can be poured and placed by gravity, avoiding the need of vibration

- Increased early and ultimate compressive strength

Uses :

- High performance and durable concrete
- Ready-mix concrete
- Self-compacting concrete



ACEFIX Acrylic Crack filler

PACK SIZE : 500gm and 1kg

High performance acrylic based crack filler paste used for sealing or repairing internal and external cracks in plasters or masonry surfaces. It is a highly flexible yet tough, non-shrink crack filler used to fill cracks up to 5mm. It has very good adhesion property over all type of plastered wall or masonry works.

Features and Benefits:

- Single component, white in colour, smooth finish
- Useful in minor expansion & contraction joints
- Low shrinkage, non-staining

- No cracking or crumbling
 - Can be used on damp surface, structure in damp condition
- Uses:** Used for internal and external plastered brick masonry wall for cracks up to 5mm width.



ACESEAL MRA

PACK SIZE : 500gm and 1kg

Ace Seal MRA is a high performance mould releasing agent manufactured by blending of superior quality minerals, releasing agents and additives which is having release properties that are superior to those of conventional mould oil.

Features and Benefits:

- Easy to apply by brush or roller or spray
- Easy demoulding
- Provides high quality and sharp edge concrete
- Withstand 100°C temperature
- Can be used on all type of form work

Uses:

- High performance and durable concrete
- Ready-mix concrete
- Self-compacting concrete
- High strength and precast concrete

TILE AND STONE CARE

SEALERS

ACESEAL Magic *Stone and Grout protective sealer*



Pack size: Available in 1ltr, 5ltr and 20ltr

ACESEAL Magic is a water based sealer for highly porous surface that penetrates deep in to the surface and therefore has an extremely long-lasting effect. It is a protecting sealer which penetrates and forms an invisible water repellent coating. It is recommended for use on porous tiles, stones, blocks and cementitious grout joints for tiled floors and walls. It is a transparent impregnating sealer that does not alter the natural look of the surface.

Features and Benefits:

- Cost effective, water based, odorless, easy to apply by brush or roller
- Resists stains and water based contaminants
- Weather resistance, protects ancient structures, stone, bricks and tile
- Allow moisture vapor transmission
- Can be used as back coat primer for stone installation to avoid stains reaching out to top surface

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones
- Can be used as efflorescence resistance back coat primer for tile or stone installation
- Can be used as a grout releasing agent by treating the tile or stones before the application of grout.

ACESEAL Impregno *Penetrating Sealer*



Solvent based

Water based

Pack size: Available in 1ltr, 5ltr and 20ltr

A premium penetrating breathable sealer which has excellent stain inhibitor properties for highly porous tiles or stones. It penetrates deep in to the surface and therefore has an extremely long-lasting effect. It is a fluoropolymer based sealer which penetrates and forms an invisible barrier. It makes the surface not only resist water but also dirt and other contaminants and makes it easier to clean. It is a transparent impregnating sealer that does not alter the natural look of the surface.

Features and Benefits:

- Highly effective, Fluoropolymer based
- User friendly, easy to apply by brush or roller
- Resists stains from water based contaminants
- Weather resistance, protects ancient structures, stone, bricks and tile
- Allow moisture vapor transmission
- UV resistant, Non-yellowing

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones like Marbles, Granites, Flamed stones, Sand stones, etc
- Can be used as a grout releasing agent by treating the tile or stones before the application of grout.

ACESEAL Super Power *Impregnating Sealer*



Pack size: Available in 1ltr, 5ltr and 20ltr

An excellent quality, superior grade, highly penetrating breathable sealer which has outstanding stainproof properties for highly porous tiles or stones. It is a concentrated fluoropolymer based sealer which penetrates deep into the surface and forms an invisible barrier. It makes the surface not only resist water but also dirt and other contaminants and make it easier to clean. It gives long lasting performance when compare to any other impregnating sealer.

Features and Benefits:

- Concentrated form of impregnating sealer
- Highly effective, Fluoropolymer based
- User friendly, easy to apply by brush or roller
- Resists tough stains from water based contaminants
- Weather resistance, protects ancient structures, stone, bricks and tile
- Breathable, allow moisture vapor transmission

- UV resistant, Non-yellowing

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones like marbles, granites, flamed stones, sand stones, etc

ACESEAL Oleoblock *Oil proof Sealer*



Pack size: Available in 1ltr, 5ltr and 20ltr

Aceseal Oleoblock - Oilproof Sealer is a heavy-duty highly penetrating breathable sealer which has excellent oil and other stain resistance properties for any kind of tiles or stones. It penetrates deep in to the surface and therefore has an extremely long-lasting effect. It is a fluoropolymer based sealer which penetrates and forms an invisible barrier. It is also a Nano-technology sealer that allows moisture vapour transmission and inhibits the growth of mould. It makes the surface not only resist water but also oil, dirt and other contaminants and makes it easier to clean. It is a transparent impregnating sealer that does not alter the natural look of the surface.

Features and Benefits:

- Highly effective, Fluoropolymer based
- Nano technology, allow moisture-vapour transmission
- User friendly, easy to apply by brush or roller
- Resists stains from oil and water based contaminants
- Weather resistance, protects ancient structures, stone, bricks and tile
- UV resistant, Non-yellowing

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones like marbles, granites, flamed stones, sand stones, etc
- Can be used as a grout releasing agent by treating the tile or stones before the application of grout.

ENHANCER

ACESEAL Wetmate



Pack size: Available in 1ltr, 5ltr and 20ltr

Aceseal Wetmate is a solvent based premium grade deep penetrating wet look sealer designed to enhance the natural look of the surface. It seals the porous with a wet look finish, enhances the colour of the tile or stone and provides a breathable surface which allows water vapour transmission. It can be used for interior or exterior application and can also be applied over the surface which was already treated with Aceseal Impregno.

Features and Benefits:

- Highly effective, enhances the natural look of the surface for long time
- User friendly, easy to apply by brush or roller
- Weather resistance, protects ancient structures, stone, bricks and tile
- Allow moisture vapor transmission

- UV resistant, Non-yellowing

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones like sand stone, marbles, flamed granites, sand blasted stones, tumbled stones, etc

ACESEAL Wetmate N' Stainproof



Pack size: Available in 1ltr, 5ltr and 20ltr

A premium penetrating breathable sealer cum natural look enhancer which has an excellent stain inhibiting properties along with long lasting wet look for highly porous tiles or stones. It penetrates deep in to the surface and therefore has an extremely long-lasting effect. It is a fluoropolymer based sealer which penetrates and forms an invisible barrier. It makes the surface not only resist water but also dirt and other contaminants and make it easier to clean.

Features and Benefits:

- Highly effective, Fluoropolymer based
- Long lasting wet look appearance, enhances the natural look
- User friendly, easy to apply by brush or roller
- Resists stains from water based contaminants
- Weather resistance, protects ancient structures, stone, bricks and tile

- Allow moisture vapor transmission
- UV resistant, Non-yellowing

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones like marbles, granites, flamed stones, sand stones, etc

ACESEAL Ultra Wemate N' Oleohate



Pack size: Available in 1ltr, 5ltr and 20ltr

Aceseal Ultra Wetmate N' Oleohate is a heavy-duty highly penetrating breathable sealer cum natural look enhancer which has excellent oil and other stain resistance properties along with long lasting wet look for any kind of porous tiles or stones. It penetrates deep in to the surface and therefore has an extremely long-lasting effect. It is a fluoropolymer based sealer which penetrates and forms an invisible barrier.

Features and Benefits:

- Highly effective, Fluoropolymer based
- Long lasting wet look appearance, enhances the natural view
- Nano technology, allow moisture-vapour transmission
- User friendly, easy to apply by brush or roller

Uses:

- Interior and exterior, wall or floor application for residential and commercial use
- Can be applied on all kind of porous tiles or natural stones like marbles, granites, flamed stones, sand stones, etc

CLEANERS

ACECLEAN General Purpose Cleaner



Pack size: Available in 500ml, 1ltr and 5ltr

ACECLEAN General Purpose is a fast acting, non-acidic concentrated wall and floor cleaners that can be used for daily maintenance of floorings made with tile and stones. The special formulation of this cleaner made it neutral pH and is most suitable for cleaning dust, dirt, grease and stains from tiled surfaces and sanitary items. When dry, the surface is left hygienically clean.

Features and Benefits:

- Antibacterial, fast acting
- Non acidic, environment friendly
- Easy to use, low odour

- Provides hygienically clean surroundings

Uses:

Interior and exterior applications for floor and walls, kitchens and bathrooms

ACECLEAN Routine Tile Cleaner



Pack size: Available in 500ml, 1ltr and 5ltr

ACECLEAN Routine Tile Cleaner is a fast acting mild acid based cleaner, used to remove cementitious grout, adhesive haze and other hard water deposit from the surface. It is a highly effective cleaner designed for everyday maintenance of tile and stone. It is much safer and less reactive to human body.

Features and Benefits:

- Economical, fast acting
- Easy to use, reduced odour
- Provides clean surroundings

- Effective against efflorescence and cement haze

Uses:

Interior and exteriors, floors and walls, kitchens and batch rooms, heavy trafficked areas, etc

ACECLEAN Heavy Duty Tile Cleaner



Pack size: Available in 500ml, 1ltr and 5ltr

ACECLEAN Heavy Duty Tile Cleaner is a heavy duty, powerful acid based cleaner, used to remove strong haziness of cementitious grout, adhesives and other hard water deposit from tile surface. It is a highly effective water dilutable cleaner that can be diluted with water to desired proportion before cleaning of the surface.

Features and Benefits:

- Concentrated, fast acting
- Can be diluted with water to desired ratio
- Easy to use, reduced odour
- Provides clean surroundings

- Effective against efflorescence and cement haze

Uses:

Interior and exteriors, floors and walls, kitchens and batch rooms, heavy trafficked areas, etc

ACECLEAN Epoxy Haze Remover



Pack size: Available in 500ml, 1ltr and 5ltr

Aceclean epoxy haze remover is made with unique and scientific formula to remove epoxy haze on tile surface effectively without harming the surface. It does not leave behind residue or any harmful deposits after application of cleaner. It can also be used to remove varnishes, lacquers, gums, acrylics etc. Multiple application may be required for tough hazes or deposition.

Features and Benefits:

- Powerful formula, fast acting
- Easy to use, reduced odour
- Removes hazes of epoxy, acrylics, tough gums, varnishes, lacquers, paints, etc

Uses:

- Ceramic Tile
- Vitrified Tile
- Natural stones
- Terrazzo
- Mosaic floor

ACECLEAN Toilet Cleaner



Pack size: Available in 500ml

ACECLEAN Toilet cleaner is a fast acting, acid based, highly effective cleaner, used for daily maintenance cleaning of toilets, basins and ceramics. It is much safer and less reactive. This unique products removes stubborn water marks and hard scaling which develops due to hardness of water.

Features and Benefits:

- Fast acting, daily maintenance cleaner
- Easy to use, reduced odour
- Provides clean surroundings

- Effective against hard water deposits, efflorescence and cement haze

Uses:

- Toilets and basins, floors and walls of bathroom.

ACEMIX Block additive



Pack size: Available in 5ltr and 20ltr

Ready to use plasticizing cum water reducing admixtures enable the cost-efficient manufacture of concrete blocks, concrete bricks, paving stones, dry cast pipes and miscellaneous landscaping units. The addition of 200ml dosage of block additive to 50kg cement content in a mix increase early strength development allowing for significant reduction in cement content. They improve texture consistency by reducing compaction resistance thus enhancing cohesion. Its lubricating properties reduce the abrasion of mould wearing parts. It also improve colour consistency by enhancing the dispersion of cement and pigment particles.

Features and Benefits:

- Improve workability of concrete, provokes for early setting
- Increases early strength, reduces cracks and breakage
- Allows effective reduction in the water content of concrete mix design
- Gives smooth swipe finish in concrete blocks, pipes, roofing tiles, concrete bricks and pavers, etc
- Improves colour consistency



Simply scan this QR Code with your smart phone to know more about us.

At ACECRETE, Get FREE Application Assistance Round the Clock:



Our 24 X 7 Customer service executives and Application specialists are available and happy to provide you with objective advice to assist you in making the right product choice.

Call : +91 96 32 60 55 77

FOR SALES ENQUIRES, PLEASE CALL :

Bangalore	: +91 963 279 3377	Kolhapur	: +91 997 286 3877
Belgaum	: +91 997 286 3877	Pune	: +91 789 974 1277
Mysore	: +91 963 278 3377	Cochin	: +91 963 286 4677
Shimoga	: +91 934 170 4477	Calicut	: +91 963 293 3877
Mangalore	: +91 963 263 2277	Chennai	: +91 963 254 2277
Udupi	: +91 934 340 4477	Kannur	: +91 963 298 8077
Hubli	: +91 963 274 3377	Kottayam	: +91 963 299 7677
Bellary	: +91 963 251 2277	Trivendrum	: +91 963 256 4077
Davangere	: +91 934 320 4477	Maharashtra	: +91 963 279 4477
Hassan	: +91 934 370 4477	Lakshadweep/U.T	: +91 963 251 8877
Coimbatore	: +91 966 340 0877	Rest of India	: +91 824 2219917
Goa	: +91 963 284 2277		



ACECRETE ADHESIONS INDIA PRIVATE LIMITED

(An ISO 9001:2008 Certified Company)

Manufacturing Site:

**Kalavar Road, Kundapura Taluk,
Udupi District, Karnataka-576 222**

www.acebond.in

Registered Office:

**205, 2nd Floor, Inland Avenue,
M.G. Road, Mangalore-575 003**

e-mail: info@acebond.in

Disclaimer : The information and recommendations contained herein are based upon data believed to be correct; however, no guarantee or warranty of any kind expressed or implied is made with respect to the information provided since conditions of use, method of application and surface preparation at site are beyond our control. The information is given in good faith and meant to serve only as general guidelines during application. Users are advised to carry out tests and take trials to ensure the suitability of the products meeting their requirements prior to full scale usage of our products. All legal issues are subject to Mangalore jurisdiction only.