



Acecrete wishes a Happy Ugadi

Ugadi (Yugadi) is derived from Sanskrit word Yuga for year and adi for starting. This means the beginning of a new year. This festival is celebrated mainly in Karnataka, Andhra Pradesh & Telangana. Ugadi marks the beginning of a new Hindu calendar year which starts with chaitra month. Ugadi is also celebrated as Gudi padwa by the people of Maharashtra. Both Ugadi and Gudi padwa are celebrated on the same day. People believe that Lord Brahma started creating the elements of the earth on this day.

This is so beautifully embodied in the tradition of partaking of Bevu (Neem) and Bella (Jaggery) in Karnataka and Pachadi (A concoction with bitter, sweet, sour, flavours), on the occasion of Ugadi.

SLURRY ADDITIVE

ACEBOND SUPERFIX

Slurry Bond Admixture



Available in 300ml of packing



ACEBOND Superfix is a highly polymer modified, macromolecule based aqueous suspension concentrate to be diluted with water prior to use with portland cement for conventional Wet on Wet method of installing ceramic, vitrified tiles and natural stones using cement slurry made with Superfix solution. It is a self curing, very economical and works as a great enhancer for cement slurry bonding with tiles and stones.

Advantages

- › Highly economical to use with many benefits
- › It has better performance compared to traditional system of only cement slurry tiling
- › Easily dispersible in water
- › High adhesion, more open time and adjustability time

Application

- › Interior and Exterior application
- › Suitable for fixing ceramic, vitrified & natural stones for floor installation
- › Suitable for concrete, plastered & mortar beds
- › Suitable for residential & commercial applications


Suitable Substrates:

Traditional Wet on Wet system - Cement mortar beds

Suitable Substrates:

12 months if stored in cool and dry area in unopened container. Shelf life is calculated from the month of manufacturing of the product.

METHOD OF INSTALLATION



APPLICATION GUIDANCE

Surfaces must be structurally strong. Remove all grease, oil, dirt, curing compounds, sealers, adhesives or any other contaminant that would prevent good bonding. Glossy or painted surfaces must be sanded or abraded and stripped off all contaminants. Concrete or plaster must be cured 28 days prior to bonding unless it is made with Acescreed Concrete must be free of efflorescence and not subject to hydrostatic pressure. Concrete slabs should have a course finish to enhance the bond. Roughen the surface by sanding or abrading, then rinse and allow to dry. Expansion joints should never be bridged with setting material. Surface temperature should be maintained above 10° C or below 38° C to achieve proper bonding. For questions about proper installation, call Technical Services executives on +91963 260 5577.

Note: Shake the container well before using ACEBOND Superfix.

Take clear & potable water in a clean pail. Add ACEBOND Superfix and mix thoroughly.

Mixing of Superfix Slurry Bond Admixture & Installation of Tile or Stone over the Leveling Bed: Mix 300ml of Superfix with 20 Liters of water. Add this Superfix slurry to cement and mix by hand or with a slow speed mixer to a smooth, workable consistency. Adjust water for consistency if necessary to a maximum of 30 Liters for 300ml of Superfix. Remix and apply with tools over the leveling bed.

Apply Superfix slurry to the substrate with the flat side of the trowel, pressing firmly to work into surface.

Spread as much Superfix slurry as can be covered with tile in 10 minutes. Back butter large tiles (> 12"x12") with Superfix slurry to provide full bedding and firm support. Place tiles into wet, sticky Superfix slurry base and beat in using a beating block and rubber mallet to imbed tile and adjust level. Higher dosage of ACEBOND Superfix would enhance further, the performance of cement slurry.

Grouting :

Grouting can be done after 24 hrs of installation of tiles. Use Acegrout superfine series grout for up to 5mm joints and Acepoxy coarse series grout for 3-12 mm joints. Use Acepoxy Epoxy grout for stain and chemical resistance. Please call customer service executive for more information.

TECHNICAL DATA

When mixed with water and used with cement as slurry: (Proportion: Cement: Water: Superfix = 50 kg : 20-30ltr : 300ml.)

Parameter	Traditional slurry method	Superfix slurry method
Bond strength	0.25 to 0.50 MPa	0.6 to 0.9 MPa
Water Absorption	High	Low
Water segregation	Yes	No
Water curing	Required	Not required

Specifications subject to change without notification. Results shown are typical but reflect test procedures used. Actual field performance will depend on installation methods and site conditions.



स्वातंत्र्याचा अमृत महोत्सव



CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

TESTIMONIALS



This is to certify that, following two products of M/s Acecrete Adhesions India Private Limited namely Acelastic Turbo & Acefinish Wallcare Putty are being used for fixing of bedroom & kitchen loft using EPS Panel.

The product performance is satisfactory for the work at Bamandongri, Kharkopar & Taloja site for CIDCO Mass Housing Package -IV (Navi Mumbai), as per the report received from project management consultancy team.

This certificate is issued on specific request of the supplier agency.

Yours faithfully,

S. S. Narsapur 12/12/2023

Executive Engineer (MHP-IV) (S.S.Narsapur)
CIDCO Ltd.
3rd Floor, Tower No. 18, EE(MHP-IV)
CBD Belapur, Railway Station Complex, CIDCO LTD.
CBD Belapur, Navi Mumbai - 400 614.

GRATEFUL STARFISH



One morning, an elderly man was walking along the beach when he noticed a young boy picking something off the sand and throwing it into the sea.

As he got closer, the man realized the child was throwing stranded starfishes that had washed up on the shore back into the breaking waves.

Approaching the boy, the man asked what he was doing.

"The starfish will die if they're still on the shore when the sun rises," he replied.

Perplexed, the old man said, "But that's pointless! There are countless miles of beach and thousands of starfish. It doesn't matter how many you return to the water, you can't make a difference."

Unfazed, the boy bent down, picked up another starfish, and tossed it into the sea.

"It matters to this one," he said.

Moral of the story: No matter the odds of success or the scale of the challenge, your actions can make a difference. It's better to light a candle than curse the dark.

Every little counts. Doing something to make a positive change is always better than nothing!



ACE COLUMN

Industrial visits are accepted by every industry and not offered to everyone. Industrial visit is a part of professional courses, during which students visit companies and get insight of on the internal working environment of the company. The college organizes industrial visits to help students understand about the practical aspects of production, marketing, labour relations and other activities managed by industrial sectors.

Below are the different college students visited our company for Industrial one day training...

Saraswati Pre-University College - Kumta



Karnataka Polytechnic - Mangalore



Sri Durgaparameshwari Temple Pre-University College - Mandarthi



Janatha Independent PU College - Hemmady



Feel free to give your views, feed back, ideas and opinions related to this field. You may be the next face in our news letter.

To,

Book-Post

Our Vision

We aspire to be a world class organization with advanced products, processes, unmatched performance and quality. We are committed to delight our stakeholders with unlimited solutions at our single hub "ACECRETE".

Our Mission

To innovate continuously and provide unique solutions in construction technology.

If Undelivered, please return to:



ACECRETE ADHESIONS INDIA PRIVATE LIMITED

Manufacturing | Customer care | R & D | Knowledge centre | Application laboratory

D.No.1-27/B, Kalavara - Vakwadi Road, Vakwadi Village & Post, Kundapura Taluk, Udupi District, Karnataka - 576 257

E-mail: info@acebond.in, www.acebond.in

24x7 CUSTOMER CARE:

Call : +91 96326 05577

E-mail : customercare@acebond.in

FOR SALES ENQUIRES, PLEASE CALL :

Mangalore	+91 963 263 2277	Kochi	+91 910 873 4277	Kadai	+91 963 251 2277	Huddemandy	+91 973 167 8077
Shivamogga	+91 934 170 4477	Ernakulam	+91 963 253 3877	Bilgaup	+91 993 230 3377	Vengal	+91 968 370 3377
Hassan	+91 936 370 4477	Thiruvananthapuram	+91 963 250 5077	Gulbarga	+91 920 540 7077	Turkkan	+91 963 279 3377
Davanagere	+91 904 320 4477	Tiruvoddu	+91 910 837 4477	Bellary	+91 960 239 3077	Myasari	+91 963 279 3377
Udupi	+91 939 340 4477	Calicut	+91 910 874 8277	Belgaum	+91 967 286 3877	Bangalore	+91 963 279 3377
Lakshadweep	+91 963 254 2277	Kannur	+91 961 190 3377	Hyderabad	+91 910 897 1377	Bangalore - Central	+91 934 161 9677
Goa	+91 920 543 7077	Goa	+91 968 340 0877	Vizhinjam	+91 973 107 8077	Bangalore - South	+91 974 175 9977
Aurangabad	+91 963 265 5077	Machhali	+91 910 874 0077	Vijayawada	+91 919 797 8077	Bangalore - North	+91 966 226 7277
Nagpur	+91 895 136 6577	Tirupur	+91 975 107 8077	Telangan	+91 910 897 1377	Road of Karnataka	+91 963 260 5077
Kolhapur	+91 920 543 7077	Coimbatore	+91 968 340 0877	Warrangal	+91 920 540 7077	Road of Tamil Nadu	+91 963 279 3377
Pune	+91 995 192 7077	Krishnagiri	+91 895 190 2477	Tirunelveli	+91 973 107 8077	Road of Maharashtra	+91 963 251 8077
Latur	+91 936 472 7077	Vellore	+91 910 872 6077	Kolhapur	+91 968 340 0877	Road of Andhra Pradesh	+91 963 274 2077
Mumbai	+91 920 432 3277	Chennai	+91 920 543 7077	Karapur	+91 968 340 0877	Road of Kerala	+91 963 279 3377
Nashik	+91 936 404 5377	Chennai - North	+91 895 193 3077	Andhra Pradesh	+91 963 254 2277	Exports (overseas)	+91 963 251 8077
Nashik	+91 936 412 7077	Chennai - South	+91 963 268 8077	West Godavari	+91 930 431 6077	Road of India	+91 963 279 3377

Disclaimer: The information and recommendations contained herein are based upon data believed to be correct; however, no guarantee or warranty of any kind expressed or implied is made with respect to the information provided since conditions of use, method of application and surface preparation at site are beyond our control. The information is given in good faith and meant to serve only as general guidelines during application. Users are advised to carry out tests and take trials to ensure the suitability of the products meeting their requirements prior to full scale usage of our products. All legal issues are subject to Kundapura jurisdiction only.

